
ITHI: Identifier Technology Health Indicators

Defining Metrics

Alain Durand

ICANN60

2017




ICANN

ITHI Names

ITHI Names: Process

- For each “Problem Area”, we will put in place a 3-stage pipeline



Candidate Metric Related to Data (in-)Accuracy

M1

Data (In-)Accuracy

M1 encompass 2 sub-metrics

M1.1

Number of “validated complaints” per million registrations

A “validated complaint” is a complaint received by the ICANN compliance department that has been acted on. In other words, this is not an obviously frivolous complaint.

M1.2

whois.icann.org/en/whoisars

Candidate Metrics Related to Abuse

M2

Number of abuses in
the ICANN DAAR* feeds
for each TLD

M2 encompass 4 sub-metrics

M2.1

Spam

M2.2

Phishing

M2.3

Malware

M2.4

Botnet

Candidate Metric Related to Overhead in Root Traffic

M3

The overhead to the minimum traffic that would be required in a “best case” scenario where all DNS resolvers were only asking for TLDs that exists and would respect the associated TTLs.

Candidate Metric Related to Leakage

M4

Usage & Leakage, as
seen
at Recursive Servers

Candidate Metric Related to Resolver Misbehavior

M5

% of top 10k DNS
resolvers interfering with
end-user DNS traffic

M5 encompass 2 sub-metrics

M5.1

% of top 10k resolvers
giving falsified answers

M5.2

% of top 10k resolvers
intercepting port 53

ITHI Protocol Parameters

**Scoped to DNS Related
Registries**

Candidate Metric Related to DNS Usage

M6

DNS
Protocol Parameter
Usage

M6

M6 encompass the list of parameters and their frequencies plus a list of unregistered parameters (and their frequencies).

Candidate Metric Related to DNS Usage

M7

of
DNSSEC-Signed
TLDs